

A - LAMP *corpo lampada* white fiberglass - vetroresina

E - CEILING CUP *rasone* matt white metal - metallo bianco opaco

C - ELECTRICAL CABLE *cavo elettrico* transparent 2 meters - 2 metri trasparente

F - SUSPENSION CABLE *fune di sosp.* steel 2 meters - acciaio 2 metri

ELECTRICAL SYSTEM *disp. elettrico* E27, 1x max 70W

BULB *lampadina* E27, 1x 10W LED, 2700K, 900 lm

OPTIONAL *accessorio* bulb equipped - lampadina inclusa

PACKAGING *imballo* 50x50x70 cm

NET WEIGHT *peso netto* 3,1 KG

GROSS WEIGHT *peso lordo* 5,3 KG

IP RATE *grado protezione* IP20

CERTIFICATION *conformità* IEC 60598-1:2014 EN 60598-1:2015


EMISSION *emissione* unidirectional - unidirezionale

 direct - diretta


 filtered - filtrata

 indirect - indiretta

 none - assente



DRY LOCATION



A - LAMP *corpo lampada* white fiberglass - vetroresina

E - CEILING CUP *rasone* matt white metal - metallo bianco opaco

C - ELECTRICAL CABLE *cavo elettrico* transparent 2 meters - 2 metri trasparente

F - SUSPENSION CABLE *fune di sosp.* steel 2 meters - acciaio 2 metri

ELECTRICAL SYSTEM *disp. elettrico* E27, 1x max 105W

BULB *lampadina* E27, 1x 10W LED, 2700K, 900 lm

OPTIONAL *accessorio* bulb equipped - lampadina inclusa

PACKAGING *imballo* 93x93x93 cm

NET WEIGHT *peso netto* 8,5 KG

GROSS WEIGHT *peso lordo* 15 KG

IP RATE *grado protezione* IP20

CERTIFICATION *conformità* IEC 60598-1:2014 EN 60598-1:2015


EMISSION *emissione* unidirectional - unidirezionale

 direct - diretta


 filtered - filtrata

 indirect - indiretta

 none - assente



DRY LOCATION



ULULÀ suspension

Matteo Ugolini design

year 2013

TECHNICAL SHEET - SE649GB V1E

STRUCTURE "A"

material	fiberglass/ lace	
colour	white	

ELECTRICAL CABLE "C"

material	neoprene	
colour	green	

SUSPENSION CABLE "F"

material	steel
----------	-------

ELECTRICAL SYSTEM


socket	E26
source	max 1x18w LED
energy class	from E to A++

PACKAGING

nr. of collis	1
net weight/kg	8,5
gross weight/kg	15
packaging/cm	93x93x93

EMISSION OF LIGHT


unidirectional



	direct
	filtered
	indirect
	none


bulb not provided

WET LOCATION



COLLECTION

available also as floor lamp (indoor and outdoor)



SE648PB V11



SE649GB V11



SE648PB V1E

ULULÌ suspension

Matteo Ugolini design

year 2013

TECHNICAL SHEET – SE648PB V1E

STRUCTURE "A"

material	fiberglass/ lace	
colour	white	

ELECTRICAL CABLE "C"

material	neoprene	
colour	green	

SUSPENSION CABLE "F"

material	steel
----------	-------

ELECTRICAL SYSTEM


socket	E26
source	max 1x18w LED
energy class	from E to A++

PACKAGING

nr. of collis	1
net weight/kg	3,1
gross weight/kg	5,3
packaging/cm	50x50x70

EMISSION OF LIGHT


unidirectional



	direct
	filtered
	indirect
	none


bulb not provided

WET LOCATION




COLLECTION

available also as floor lamp (indoor and outdoor)



SE648PB V1E



SE649GB V1E



SE648PG V1E



SE649GB V1E

ULULÌ suspension

Matteo Ugolini design

year 2013

TECHNICAL SHEET - SE648PBV11

STRUCTURE "A"

material	fiberglass/ lace	
colour	white	

CEILING CUP "E"

material	metal
colour	matt white

ELECTRICAL CABLE "C"

material	PVC
colour	transparent

SUSPENSION CABLE "F"

material	steel
----------	-------

ELECTRICAL SYSTEM


socket	E26
source	max 1x18w LED
energy class	from E to A++

PACKAGING

nr. of collis	1
net weight/kg	3,1
gross weight/kg	5,3
packaging/cm	50x50x70

EMISSION OF LIGHT

unidirectional




	direct
	filtered
	indirect
	none

CERTIFICATION




bulb not provided



COLLECTION

available also as floor lamp (indoor and outdoor)



SE649GBV11



SE648PB VIE



SE649GB VIE

ULULÀ suspension

Matteo Ugolini design

year 2013

TECHNICAL SHEET - SE649GBV11

STRUCTURE "A"

material	fiberglass/ lace	
colour	white	

CEILING CUP "E"

material	metal
colour	matt white

ELECTRICAL CABLE "C"

material	PVC
colour	transparent

SUSPENSION CABLE "F"

material	steel
----------	-------

ELECTRICAL SYSTEM


socket	E26
source	max 1x18w LED
energy class	from E to A++

PACKAGING

nr. of collis	1
net weight/kg	8,5
gross weight/kg	15
packaging/cm	93x93x93

EMISSION OF LIGHT

unidirectional




	direct
	filtered
	indirect
	none

CERTIFICATION




bulb not provided



COLLECTION

available also as floor lamp (indoor and outdoor)



SE648PBV11



SE648PB V1E



SE649GB V1E