

A – LAMPSHADE *paralume* white fiberglass – *vetroresina*

C – ELECTRICAL CABLE *cavo elettrico* black 4 meters – *4 metri nero*

BULB *lampadina* E27, 1x 10W LED, 2700K, 900 lm

ELECTRICAL SYSTEM *disp. elettrico* E27, 1x max 105W

OPTIONAL *accessorio* bulb equipped – *lampadina inclusa*

PACKAGING *imballo* 93x93x93 cm

NET WEIGHT *peso netto* 8 KG


GROSS WEIGHT *peso lordo* 12 KG

IP RATE *grado protezione* IP20


CERTIFICATION *conformità* IEC 60598-1:2014 EN 60598-1:2015

EMISSION *emissione* bidirectional – *bidirezionale*

-  direct – *diretta*
-  filtered – *filtrata*
-  indirect – *indiretta*
-  none – *assente*



DRY LOCATION



A – LAMPSHADE *paralume* white fiberglass – *vetroresina*

C – ELECTRICAL CABLE *cavo elettrico* black 4 meters – *4 metri nero*

BULB *lampadina* E27, 1x 10W LED, 2700K, 900 lm

ELECTRICAL SYSTEM *disp. elettrico* E27, 1x max 70W

OPTIONAL *accessorio* bulb equipped – *lampadina inclusa*

PACKAGING *imballo* 50x50x70 cm

NET WEIGHT *peso netto* 3,5 KG


GROSS WEIGHT *peso lordo* 5,7 KG

IP RATE *grado protezione* IP20


CERTIFICATION *conformità* IEC 60598-1:2014 EN 60598-1:2015

EMISSION *emissione* bidirectional – *bidirezionale*

- direct – *diretta*
- filtered – *filtrata*
- indirect – *indiretta*
- none – *assente*



DRY LOCATION



ULULÌ AND ULULÀ floor lamp

Matteo Ugolini design

year 2013

TECHNICAL SHEET - M648PB-V1E

STRUCTURE "A"

material	fiberglass/ lace	
colour	white	

ELECTRICAL CABLE "C"

material	neoprene	
colour	green	

ELECTRICAL SYSTEM

socket	E26
source	max 1x18w LED
energy class	from E to A++

PACKAGING

nr. of collis	1
net weight/kg	3,5
gross weight/kg	5,7
packaging/cm	50x50x70


EMISSION OF LIGHT

one-directional




	direct
	filtered
	indirect
	none

bulb not provided



COLLECTION

available also as: suspension (indoor/outdoor)



ULULÌ AND ULULÀ floor lamp

Matteo Ugolini design

year 2013

TECHNICAL SHEET - M648PB

STRUCTURE "A"

material	fiberglass/ lace	
colour	white	

ELECTRICAL CABLE "C"

material	PVC	
colour	transparent	

ELECTRICAL SYSTEM

socket	E26
source	max 1x18w LED
energy class	from E to A++

PACKAGING


nr. of collis	1
net weight/kg	3,5
gross weight/kg	5,7
packaging/cm	50x50x70

EMISSION OF LIGHT

one-directional

		direct
		filtered
		indirect
		none

bulb not provided



COLLECTION

available also as: suspension (indoor/outdoor)

